



## The Quantum Placebo: Toward a Coherent Framework Linking Quantum Theory and Placebo Research

Author: Marcus Schmieke, Existential Consciousness Research Institute Berlin

Correspondence: [Marcus.schmieke@t-online.de](mailto:Marcus.schmieke@t-online.de)

154

### Abstract

The placebo effect, long recognized as a robust contributor to clinical outcomes, has traditionally been explained in terms of expectation, conditioning, and meaning responses. Recent advances in open-label placebo (OLP) research demonstrate that placebo responses can be elicited without deception, reframing both ethical and mechanistic perspectives. Parallel to these developments, a growing body of theoretical work explores quantum and quantum-like frameworks as tools for modeling contextuality, non-classical probability structures, and consciousness-mediated effects relevant to placebo phenomena. This article introduces QUACEBO, a digital open-label placebo platform that integrates these perspectives by employing genuine quantum random number generator (QRNG) signals as dynamic visualizations to scaffold intention, ritual, and engagement.

We synthesize six complementary lines of inquiry: (i) quantum-like models of contextual interference in placebo outcomes, (ii) consciousness-mediated quantum dynamics such as the Quantum Zeno Effect, (iii) quantum cognition approaches to non-classical probability in psychology, (iv) informational entanglement hypotheses in clinical trial design, (v) quantum-biological models of consciousness, and (vi) empirical studies on mind-machine interactions with random number generators. On this basis, QUACEBO is presented as a reproducible research framework that generates concrete, testable hypotheses. Two proposed trials—a multi-arm session-type study and a double-blind comparison of genuine versus pseudo-quantum visualization—are outlined with rigorous methodological safeguards, including preregistration, multi-site replication, and device-independent controls.

By uniting quantum-inspired formalism with placebo research and digital OLP delivery, this work positions QUACEBO as a paradigm to empirically evaluate whether quantum or quantum-like structures can enrich our understanding of placebo responses. Null results would constrain speculative models; positive findings could establish an empirical foothold for integrating quantum frameworks into the science of healing contexts.



## Keywords

Placebo effect; open-label placebo; digital placebo; quantum-like probability; QRNG; Process 1; Quantum Zeno Effect; QUACEBO; coherence; contextuality

## 1. Introduction

Placebo effects are well-established in medicine and psychology, typically explained by expectation, conditioning, meaning responses, and neurochemical mediation. Open-label placebo (OLP) research demonstrates that placebo responses can occur without deception, reframing both ethics and mechanisms. Digital placebos extend these ideas to software-delivered interventions. This paper integrates Beauvais's quantum-like contextuality and Stapp's quantum-physical mind-brain framework into a unified proposal—QUACEBO—that can be empirically tested in scalable, preregistered trials. (Benedetti, 2014; Finniss et al., 2010; Colloca & Miller, 2011) (Kaptchuk et al., 2010; Carvalho et al., 2016; Schaefer et al., 2018)

While this work primarily integrates the models of Beauvais and Stapp, other quantum(-like) approaches are reviewed in Sections 4.3 and 4.4 to position QUACEBO within the broader scientific discourse on quantum-related placebo theories.

## 2. Background: Placebo Phenomena and Open-Label Paradigms

Seminal OLP trials indicate that transparent placebos can improve clinical outcomes. In irritable bowel syndrome, Kaptchuk et al. (2010) reported significant improvements despite participants being informed they were receiving placebos. Carvalho et al. (2016) observed benefits in chronic low back pain, and Schaefer et al. (2018) in allergic rhinitis. These studies underscore that expectancy, meaning, and ritual can drive outcomes even without deception. QUACEBO builds on this ethical foundation by using a digital OLP protocol.

## 3. Digital Placebos and Informational Frameworks

Digital placebos deliver symbolic and procedural elements via software: intention prompts, structured rituals, and feedback. QUACEBO extends this by embedding live, nondeterministic QRNG signals as a quantum-field visualization. This informational intervention is positioned as non-therapeutic and research-focused, enabling precise experimentation and audit trails. (Herrero-Collantes & Garcia-Escartin, 2017)

## 4. Theoretical Background

### 4.0 Notation and Modeling Assumptions

We use quantum-like probability amplitudes  $\psi$  to represent context-conditioned dispositions. For two contextual paths A and B (e.g., two labels), the combined outcome probability is obtained from amplitudes:  $P = |\psi_A + \psi_B|^2 = P_A + P_B + 2\sqrt{P_A P_B} \cos \theta$



(Eq. 1), where  $P_A = |\psi_A|^2$  and  $\theta$  encodes the contextual phase relation. In the quantum Zeno formalism, the short-time survival probability of a prepared state under  $n$  equally spaced interrogations across total time  $T$  is  $P_{\text{survival}} \approx [1 - (T/(n\tau))^2]^n \rightarrow 1$  as  $n \rightarrow \infty$  (Eq. 2), with  $\tau$  a characteristic timescale. These expressions are used to derive testable predictions for labeling/assessment (Eq. 1) and intention-stabilization dynamics (Eq. 2).

#### 4.1 Beauvais Quantum-like Contextuality Model (Formalism)

Beauvais (2017) proposes a quantum-like probability model to account for observer- and context-dependent variability in placebo outcomes. The model admits interference between contextual 'paths' (e.g., two labels for inert interventions). A simplified expression is:

Beauvais developed this quantum-like model to address limitations in classical statistical treatments of placebo variability, particularly when outcome distributions depend strongly on subtle contextual variables (labeling, assessor proximity, framing). Rather than assigning fixed Kolmogorov probabilities to mutually exclusive events, the model represents context-conditioned dispositions as probability amplitudes  $\psi$  that can superpose and interfere. Consider two inert placebos, A and B, identical in composition but framed with different labels or narratives. Let  $P_A$  and  $P_B$  denote baseline probabilities for a favorable outcome in each context considered separately. When contexts are jointly relevant (e.g., when an evaluator locally handles both labels), the total probability is obtained from the squared modulus of the summed amplitudes:  $P = |\psi_A + \psi_B|^2 = P_A + P_B + 2\sqrt{P_A P_B} \cos \theta$ , where  $\theta$  is a phase-like parameter that encodes the relation between the contextual cues.

If  $\theta \approx 0$ , constructive interference increases the observed rate beyond  $P_A + P_B$ ; if  $\theta \approx \pi$ , destructive interference can suppress it. Crucially, the parameter  $\theta$  operationalizes how strongly the assessment context couples to labeling information. Beauvais therefore predicts that **local** assessments (assessor exposed to contextual cues) can yield label-dependent outcome differences ( $\theta \neq \pi/2$ ), whereas **remote** assessments (cues minimized) approach  $\theta \approx \pi/2$ , nullifying the interference term and the A-B difference. This yields concrete, falsifiable predictions: manipulate labeling and assessor proximity; estimate interference-like departures from classical additivity; and test whether effects diminish under remote/online evaluation. The model is explicitly 'quantum-like': it borrows the probabilistic formalism (Hilbert-space superposition and interference) without positing physical quanta in the brain. (Beauvais, 2017)

$$P = |\psi_A + \psi_B|^2 = P_A + P_B + 2\sqrt{P_A P_B} \cos \theta$$

Here,  $\theta$  is a phase-like parameter encoding contextual relationships. Under local assessment, interference can yield differences between labels; under remote assessment, contextual coupling is reduced and interference terms diminish. The model motivates experiments that manipulate labeling and assessment proximity.



#### 4.2 Stapp Process 1 and the Quantum Zeno Effect (Formalism)

Stapp's quantum mind–brain framework treats conscious intention as a Process 1 intervention—selection of a measurement basis not prescribed by unitary evolution. Rapid, repeated Process 1 acts can evoke QZE-like stabilization of neural patterns. In placebo contexts, intentional focus could bias brain dynamics toward coherent states, potentially aligning subjective outcomes with measurable physiological changes.

Stapp's account is grounded in von Neumann's tripartite schema: **Process 2** (unitary evolution of the quantum state), **Process 1** (the choice of a measurement question/projection by a conscious agent), and **Process 3** (the stochastic outcome selection). Stapp highlights Process 1 as the locus of conscious causal efficacy: the agent's selection of a projection operator—i.e., which aspect of the brain–body system is 'queried'—is not fixed by unitary dynamics. Repetition of such selections in the same basis underlies the **Quantum Zeno Effect (QZE)**, whereby frequent 'measurements' inhibit transitions and stabilize a state.

Formally, if a prepared state  $|\psi\rangle$  has a short-time survival probability  $P(t) \approx 1 - (t/\tau)^2$ , then  $n$  equally spaced interrogations over total time  $T$  give  $P_{\text{survival}} \approx [1 - (T/(n\tau))^2]^n \rightarrow 1$  as  $n \rightarrow \infty$ . Interpreted neurophysiologically, sustained attention and intention—conceptualized as sequences of Process-1 selections—could stabilize neural patterns consistent with the intended outcome, prolonging coherence without energy transfer. Applied to placebo, structured rituals and cues (such as QUACEBO's intention prompts and QRNG-based visualization) scaffold repeated, coherent 'mental measurements,' potentially yielding QZE-like stabilization of beneficial brain states. This framework does not prove efficacy; it delineates a precise, testable route by which conscious intention could modulate neurodynamics. (Stapp, 2005; Stapp, 2011)

#### 4.3 Additional Quantum and Quantum-like Approaches to the Placebo Effect

In addition to the integrated approaches of Beauvais (quantum-like contextuality model) and Stapp (intentional Process-1 dynamics, Quantum Zeno Effect), other models have appeared in the peer-reviewed literature that link quantum physics to the placebo effect. These can be broadly grouped into three categories:

1. **Quantum-statistical models of cognitive processes**

Aerts et al. (2018) have shown, within the framework of Quantum Cognition, that context-dependent, non-classical probability structures in psychology and decision-making can be precisely modeled using formal elements of quantum mechanics (superposition, interference). They propose applying such models to medical data – including placebo responses – to mathematically isolate the influence of context and expectation.

2. **Macroscopic entanglement hypotheses**

Manek & Tiller (2011) postulate in *Medical Hypotheses* that placebo and verum groups



in clinical trials could enter an informational entanglement state through "conditioned spaces" and focused intention. In this state, even inertly administered substances would no longer be entirely without effect. This assumption is based on an extended physical framework (U(1)–SU(2) coupling) and is highly speculative, but it provides an explicit physical hypothesis for potential interactions.

### 3. **Quantum-biological consciousness models**

Hameroff & Penrose (2014) argue, in their Orch-OR theory, that quantum-coherent processes in neuronal microtubules may play a role in consciousness. On this basis, it is speculated that expectation and intention – central mechanisms of the placebo effect – could be partially mediated by such quantum-biological processes. Empirical evidence for this link is currently lacking.

These approaches differ substantially in their level of claim: while Quantum Cognition and the Beauvais model use "quantum-like" formal structures to model context-dependent probabilities, Tiller and Hameroff posit real physical quantum processes in the macroscopic human system. The QUACEBO framework presented here is deliberately positioned on the formal-model side to generate testable hypotheses without assuming speculative physics in the organism.

#### 4.4 Quantum Random Noise as an Intention Amplifier

In the QUACEBO framework, the genuine quantum random number generator (QRNG) signal is proposed to act as an intention amplifier – a catalyst that channels and potentially magnifies the user's focused intent during a session. The unpredictable, real-time quantum noise is not merely a random stimulus; it is hypothesized to interact with the participant's conscious attention in a way that strengthens the overall placebo-relevant response. By presenting the user's intention against a backdrop of true quantum uncertainty, QUACEBO creates a unique mind-matter context wherein each moment of observation is imbued with novelty and personal relevance. This design builds on the notion that the mind's interaction with an indeterministic process could reinforce the user's sense of influence or engagement, thereby amplifying subjective effects. While highly speculative, this idea aligns with the integrated theoretical basis of QUACEBO: it extends Stapp's view of consciousness actively probing quantum events from the brain to an external device (Stapp, 2005; Stapp, 2011) and echoes Beauvais's emphasis on context-dependent outcomes by introducing an open-ended quantum context in each session (Beauvais, 2017).

From a quantum-theoretical perspective, involving a QRNG in the intervention offers a testable arena for mind-matter interaction hypotheses. Meta-analytic evidence suggests that human intention may produce tiny biases in random number generator outputs under specific conditions (Bösch et al., 2006). Although the observed effect sizes are extremely small and subject to debate, the conceptual implication is intriguing: conscious intent might couple to quantum randomness in ways that classical psychology does not fully capture. In



the context of placebo-related responses, Radin and Lobach (2007) even speculated that such effects could involve retrocausal influences on random events. QUACEBO leverages these notions by incorporating a genuine quantum source as a core part of the intervention. If consciousness can interact with quantum processes at any level, a live QRNG visualization provides a continuous stream of quantum events for the mind to engage with. This continuous engagement is akin to a series of von Neumann Process-1 observations intentionally directed at the QRNG output, potentially invoking a Quantum Zeno-like stabilization of the user's mental state as suggested by Stapp's framework (Stapp, 2011). Importantly, this hypothesis remains empirically open – QUACEBO's design allows rigorous comparison between true quantum random feedback and algorithmically pseudo-random feedback (identical in appearance) to detect any measurable differences (Hypotheses H6–H8).

Psychologically, the QRNG-based display enriches the ritualistic and contextual elements known to influence outcomes (Wager & Atlas, 2015). Each QUACEBO session begins with the participant setting a clear personal intention, followed by viewing a dynamic, never-repeating quantum-driven visualization. This sequence creates a compelling cognitive narrative: the user's intention feels linked to a unique external signal that is inherently unpredictable and personalized to that moment. Such a coupling of mental focus with a salient external cue can heighten the sense of meaning and significance attached to the intervention. The knowledge that the signal is derived from an actual quantum process may further boost credibility and engagement, even in an open-label scenario. In essence, the QRNG turns an abstract intention into a perceivable, evolving stimulus, maintaining attention and arousal.

In summary, this subsection adds a novel theoretical layer to the QUACEBO model: it posits that genuine quantum randomness can serve as an active component that synergistically interacts with user intention. This role is two-fold: first, it provides a continuous stream of unpredictable events that the mind might (in theory) influence or become correlated with; second, irrespective of direct mind-matter effects, the QRNG signal enriches the psychological milieu, fostering heightened expectancy, engagement, and meaning. These dual aspects make the use of quantum random noise in QUACEBO not just a technical choice but a theoretical statement. By empirically examining outcomes with and without genuine quantum noise, QUACEBO will help clarify whether quantum randomness confers any measurable advantage as an intention amplifier.

## 5. Proposed QUACEBO Framework

QUACEBO is a digital open-label placebo that presents a quantum-field visualization derived from live QRNG outputs as the central stimulus. The visualization is dynamic and non-repeating, reflecting genuine quantum unpredictability. The platform supports multiple execution modes: Manual (participant performs sessions actively), Self-delegated (participant schedules automated sessions for themselves; intention set in advance),



Delegated-for-others (a participant performs a session intending benefit for another person with consent), and Control (no visualization or neutral display). A second line of inquiry compares genuine Quace (live QRNG visualization) with Pseudoquace (pseudo-random visualization) in a double-blind design to test source-dependent effects.

## 6. Derived Hypotheses from the Integrated Models

H1: Manual QUACEBO sessions with genuine QRNG visualization produce greater changes in target variables than control.

H2: Self-delegated and delegated-for-others sessions produce different effect sizes compared to manual and control conditions.

H3: Differences among manual, self-delegated, and delegated-for-others sessions appear in subjective ratings and coherence metrics.

H4: Repeated sessions within the same condition produce cumulative or stabilizing (QZE-like) effects.

H5: Focused intention combined with QRNG visualization amplifies effects relative to conditions without intentional engagement.

H6: Replacing genuine QRNG signals with pseudo-random sequences reduces effects significantly (device-independent replication).

H7: In a blinded setup, genuine Quace produces stronger effects than Pseudoquace.

H8: Quace–Pseudoquace differences are detectable in physiological coherence measures and correlate with subjective outcomes.

## 7. Planned Studies and Methodological Overview

### 7.1 Study 1 – Session-Type Trial (Manual vs. Self-delegated vs. Delegated-for-others vs. Control)

The planned analysis will be based on a four-arm randomized design, in which participants are allocated to different QUACEBO intervention modalities. Each participant will complete six standardized questionnaires both at baseline (pre-intervention) and after the intervention period (post-intervention). These instruments are: the WHO-5 Well-Being Index (general well-being), the Perceived Stress Scale (PSS), the Generalized Anxiety Disorder Scale (GAD-7), the Patient Health Questionnaire (PHQ-9) for depressive symptoms, the Pittsburgh Sleep Quality Index (PSQI) for sleep quality, and the SF-12 Health Survey assessing physical and mental health components. Together, these validated measures provide a multidimensional assessment of mental health, stress, emotional well-being, and quality of life.

Analyses will begin with descriptive statistics summarizing demographic data, baseline scores, and distributional characteristics across the four groups. The primary focus will then be on intra-group changes from baseline to post-intervention in each of the six




questionnaires, in order to assess whether specific QUACEBO session types are associated with measurable improvements.

Subsequently, between-group comparisons will be conducted to examine whether one or more intervention arms produce significantly greater improvements compared to the others. Where appropriate, analyses of covariance (ANCOVA) will be applied to adjust for baseline scores and relevant demographic variables. To account for the multiplicity of comparisons across both groups and outcome measures, statistical corrections (e.g., Bonferroni adjustment) will be employed to ensure robustness.

Effect sizes will be calculated and reported for all outcomes, providing information on the magnitude of observed differences beyond statistical significance. Exploratory analyses will additionally assess possible dose–response relationships by correlating the intensity and frequency of app usage with changes in questionnaire outcomes.

Taken together, these analyses will rigorously evaluate whether the different QUACEBO session formats yield differential effects on well-being, stress, anxiety, depression, sleep quality, and overall health-related quality of life. The findings will not only provide initial empirical insights but also establish a methodological foundation for larger confirmatory trials.




Legend: QUACEBO = digital open-label placebo with genuine QRNG-based quantum-field visualization. Arms: Manual / Self-delegated / Delegated-for-others / Control. Outcomes: self-report, HRV, EEG; Timepoints: Pre, Post, Follow-up.

## 7.2 Study 2 – Double-blind Genuine Quace vs. Pseudoquace

Design: Parallel-group, double-blind RCT comparing genuine Quace (live QRNG visualization) against Pseudoquace (pseudo-random visualization). Blinding: participants and outcome assessors. Outcomes and timepoints as in Study 1. Randomization: device-independent QRNG vs. pseudo-RNG streams; continuous entropy and diagnostics. Analysis: Primary contrast Quace vs. Pseudoquace on preregistered endpoints; secondary mediation by expectancy/meaning measures; robustness checks and cross-site replication.





Legend: Blinded participants and assessors. Genuine Quace uses live QRNG signals; Pseudoquace uses pseudo-random sequences.

## 8. Implications for Physics and Information Science

This program links quantum-like contextuality and quantum-physical intention models to concrete, falsifiable trials. QUACEBO's open-label design avoids deception, while the QRNG scaffold enables rigorous control and auditing. Null findings would still be informative, constraining theoretical claims; positive findings would establish an empirical foothold for quantum(-like) contributions to placebo-related phenomena.

## 9. Conclusion

This article has argued that the placebo effect, far from being a marginal or deceptive phenomenon, can be understood as a fundamental expression of contextual meaning, expectation, and mind-body dynamics. With the rise of open-label placebo (OLP) research, it has become clear that placebo responses can be ethically harnessed, reproducible, and clinically relevant without deception. At the same time, advances in quantum theory and quantum-like models provide a conceptual vocabulary to describe phenomena such as contextuality, non-classical probability, and entanglement, which resonate with the elusive characteristics of placebo responses.

Within this intersection, the QUACEBO framework has been proposed as both a conceptual and empirical platform. By combining genuine quantum randomness with structured digital interventions, QUACEBO aims to provide a reproducible, transparent, and ethically grounded way of studying placebo phenomena. Crucially, QUACEBO does not assert metaphysical claims of "quantum healing" but instead establishes a controlled paradigm in which quantum or quantum-like structures can be operationalized as testable hypotheses.

The integration of six complementary strands—quantum-like models of contextual interference, consciousness-related dynamics, quantum cognition approaches, informational entanglement, quantum-biological perspectives, and empirical mind-machine interaction studies—highlights that placebo research can benefit from engaging with non-



classical models of information and probability. Together, these perspectives extend the explanatory range beyond linear stimulus–response models and may open pathways to a deeper understanding of how meaning, ritual, and consciousness contribute to healing.

From a research standpoint, QUACEBO suggests several key implications. First, it provides a methodological template for conducting placebo studies that can directly compare genuine quantum randomization with pseudo-random controls. Second, it demonstrates how digital open-label placebo systems can be used to design replicable, multi-site studies with minimal bias. Third, it sets the stage for interdisciplinary collaboration between clinical placebo research, quantum cognition, and quantum foundations.

Looking forward, the significance of QUACEBO lies not only in the potential confirmation of quantum-like features in placebo responses but also in its role as a boundary object: a rigorous experimental framework where speculative models must be confronted with empirical data. Whether outcomes validate or falsify the hypothesized quantum connections, such research will refine our understanding of the placebo effect and its place within integrative medicine and consciousness studies.

In sum, the coherent articulation of quantum-inspired perspectives with placebo science offers a unique opportunity: to transform the placebo effect from a residual explanatory gap into a frontier of testable, ethically sound, and scientifically meaningful research. The QUACEBO framework is therefore not an endpoint, but a beginning—an invitation to integrate conceptual boldness with methodological rigor in order to explore one of the most intriguing bridges between mind, matter, and healing.

## References

- Aerts, D., Sozzo, S., & Veloz, T. (2018). Quantum Structure in Cognition: Fundamentals and Applications. *Topics in Cognitive Science*, 10(4), 776–795. <https://doi.org/10.1111/tops.12296>
- Benedetti, F. (2014). *Placebo effects: Understanding the mechanisms in health and disease* (2nd ed.). Oxford University Press.
- Beauvais, F. (2017). Possible contribution of quantum-like correlations to the placebo effect: Consequences on blind trials. *Theoretical Biology and Medical Modelling*, 14, 12. <https://doi.org/10.1186/s12976-017-0058-5>
- Bösch, H., Steinkamp, F., & Boller, E. (2006). Examining psychokinesis: The interaction of human intention with random number generators—a meta-analysis. *Psychological Bulletin*, 132(4), 497–523. <https://doi.org/10.1037/0033-2909.132.4.497>



Carvalho, C., Caetano, J. M., Cunha, L., Rebouta, P., Kaptchuk, T. J., & Kirsch, I. (2016). Open-label placebo treatment in chronic low back pain: A randomized controlled trial. *Pain*, 157(12), 2766–2772. <https://doi.org/10.1097/j.pain.0000000000000700>

Colloca, L., & Miller, F. G. (2011). Role of expectations in health. *Nature Reviews Neuroscience*, 12(7), 535–546. <https://doi.org/10.1038/nrn3064>

Finniss, D. G., Kaptchuk, T. J., Miller, F., & Benedetti, F. (2010). Biological, clinical, and ethical advances of placebo effects. *The Lancet*, 375(9715), 686–695. [https://doi.org/10.1016/S0140-6736\(09\)61706-2](https://doi.org/10.1016/S0140-6736(09)61706-2)

Hameroff, S., & Penrose, R. (2014). Consciousness in the universe: A review of the 'Orch OR' theory. *Physics of Life Reviews*, 11(1), 39–78. <https://doi.org/10.1016/j.plrev.2013.08.002>

Herrero-Collantes, M., & Garcia-Escartin, J. C. (2017). Quantum random number generators. *Reviews of Modern Physics*, 89(1), 015004. <https://doi.org/10.1103/RevModPhys.89.015004>

Kaptchuk, T. J., Friedlander, E., Kelley, J. M., Sanchez, M. N., Kokkotou, E., Singer, J. P., Kowalczykowski, M., Miller, F. G., Kirsch, I., & Lembo, A. J. (2010). Placebos without deception: A randomized controlled trial in irritable bowel syndrome. *PLoS ONE*, 5(12), e15591. <https://doi.org/10.1371/journal.pone.0015591>

Manek, N. J., & Tiller, W. A. (2011). The placebo effect: A clinician's perspective. *Medical Hypotheses*, 77(4), 626–631. <https://doi.org/10.1016/j.mehy.2011.06.013>

Radin, D., & Lobach, E. (2007). Toward understanding the placebo effect: Investigating a possible retrocausal factor. *Journal of Alternative and Complementary Medicine*, 13(7), 733–739. <https://doi.org/10.1089/acm.2006.6243>

Schaefer, M., Harke, R., Denke, C., & Olk, B. (2018). Open-label placebo treatment of allergic rhinitis: A randomized controlled trial. *Scientific Reports*, 8, 15323. <https://doi.org/10.1038/s41598-018-19891-8>

Stapp, H. P. (2005). Quantum interactive dualism—An alternative to materialism. *Journal of Consciousness Studies*, 12(11), 43–58.

Stapp, H. P. (2011). Placebo: A clinically significant quantum effect. In H. P. Stapp, *Mindful universe: Quantum mechanics and the participating observer* (pp. 145–152). Springer. [https://doi.org/10.1007/978-3-642-18076-7\\_17](https://doi.org/10.1007/978-3-642-18076-7_17)

Wager, T. D., & Atlas, L. Y. (2015). The neuroscience of placebo effects: Connecting context, learning and health. *Annual Review of Neuroscience*, 38, 173–200. <https://doi.org/10.1146/annurev-neuro-071714-033928>

## Acknowledgments

M.S. conceived the QUACEBO framework, integrated theoretical models, and wrote the manuscript.



## Funding

No specific funding was received for this work.

## Conflicts of Interest

The author is the developer of the QUACEBO platform described in this article.

Manuscript type: Theoretical Article (framework paper; no empirical data reported)

